


PRENTICE DRILL SETS & TAPER LENGTH DRILLS

PRENTICE DRILL SETS

Metal and Hardwood Block

**QUALITY
IMPORT**



PRENTICE DRILL SETS			
Shank Dia. (in.)	Code No.	Price \$	
8 PIECE IN METAL CASE			
9/16; 5/8; 11/16; 3/4; 13/16; 7/8; 15/16; 1	107-225	273.40	
8 PIECE ON WOODEN BLOCK			
9/16; 5/8; 11/16; 3/4; 13/16; 7/8; 15/16; 1	107-226	342.20	
13 PIECE ON WOODEN BLOCK			
17/32; 9/16; 19/32; 5/8; 21/32; 11/16; 23/32; 3/4; 13/16; 7/8; 15/16; 31/32; 1	107-227	519.50	
5 PIECE ON WOODEN BLOCK			
1; 1-1/8; 1-1/4; 1-3/8; 1-1/2	107-228	411.00	



TAPER LENGTH STRAIGHT SHANK DRILLS

Taper length drills are designed for general purpose drilling where longer length is required.



TAPER LENGTH DRILLS							cobalt		
Size	Dec. Equiv.	Flute Length	Overall Length	General Purpose Code No.	Price \$	Cobalt 135° Split Point Code No.	Price \$		
1/64	.0156	5/16	1-1/2	116-792	7.20				
1/32	.0312	3/4	2	116-793	5.70				
3/64	.0469	1-1/8	2-1/4	116-794	2.60	115-001	8.10		
1/16	.0625	1-3/4	3	116-795	2.80	115-002	8.40		
5/64	.0781	2	3-3/4	116-796	5.40	115-003	9.80		
3/32	.0938	2-1/4	4-1/4	116-797	3.90	115-004	11.50		
7/64	.1094	2-1/2	4-5/8	116-798	4.90	115-005	14.70		
1/8	.1250	2-3/4	5-1/8	116-799	5.00	115-006	14.70		
9/64	.1406	3	5-3/8	116-800	6.70	115-007	17.80		
5/32	.1562	3	5-3/8	116-801	6.10	115-008	17.80		
11/64	.1719	3-3/8	5-3/4	116-802	7.20	115-009	17.80		
3/16	.1875	3-3/8	5-3/4	116-803	6.10	115-010	17.80		
13/64	.2031	3-5/8	6	116-804	8.10	115-011	20.60		
7/32	.2188	3-5/8	6	116-805	8.70	115-012	20.60		
15/64	.2344	3-3/4	6-1/8	116-806	8.90	115-013	21.50		
1/4	.2500	3-3/4	6-1/8	116-807	7.30	115-014	20.40		
17/64	.2656	3-7/8	6-1/4	116-808	9.30	115-015	26.60		
9/32	.2812	3-7/8	6-1/4	116-809	8.90	115-016	25.10		
19/64	.2969	4	6-3/8	116-810	10.20	115-017	26.60		
5/16	.3125	4	6-3/8	116-811	8.90	115-018	25.10		
21/64	.3281	4-1/8	6-1/2	116-812	10.40	115-019	30.60		
11/32	.3438	4-1/8	6-1/2	116-813	10.20	115-020	29.40		
23/64	.3594	4-1/4	6-3/4	116-814	12.00	115-021	36.20		
3/8	.3750	4-1/4	6-3/4	116-815	12.00	115-022	33.30		
25/64	.3906	4-3/8	7	116-816	12.60	115-023	37.40		
13/32	.4062	4-3/8	7	116-817	12.50	115-024	36.10		
27/64	.4219	4-5/8	7-1/4	116-818	13.50	115-025	40.60		
7/16	.4375	4-5/8	7-1/4	116-819	13.40	115-026	39.10		
29/64	.4531	4-3/4	7-1/2	116-820	15.20	115-027	45.90		
15/32	.4688	4-3/4	7-1/2	116-821	16.20	115-028	45.90		
31/64	.4844	4-3/4	7-3/4	116-822	17.70	115-029	46.70		
1/2	.5000	4-3/4	7-3/4	116-823	16.90	115-030	48.00		
33/64	.5156	4-3/4	8	116-824	24.80	115-031	66.40		
17/32	.5312	4-3/4	8	116-825	24.10	115-032	64.10		
35/64	.5469	4-7/8	8-1/4	116-826	26.90	115-033	71.80		
9/16	.5625	4-7/8	8-1/4	116-827	25.50	115-034	69.20		
37/64	.5781	4-7/8	8-3/4	116-828	29.70	115-035	82.80		
19/32	.5938	4-7/8	8-3/4	116-829	29.70	115-036	80.80		
39/64	.6094	4-7/8	8-3/4	116-830	31.30	115-037	83.80		
5/8	.6250	4-7/8	8-3/4	116-831	29.70	115-038	80.80		
41/64	.6406	5-1/8	9	116-832	35.30	115-039	94.10		
21/32	.6562	5-1/8	9	116-833	34.00	115-040	89.10		
43/64	.6719	5-3/8	9-1/4	116-834	40.00	115-041	108.10		
11/16	.6875	5-3/8	9-1/4	116-835	38.40	115-042	104.20		
45/64	.7031	5-5/8	9-1/2	116-836	42.60	115-043	118.30		
23/32	.7188	5-5/8	9-1/2	116-837	42.00	115-044	114.10		
47/64	.7344	5-7/8	9-3/4	116-838	46.70	115-045	125.20		
3/4	.7500	5-7/8	9-3/4	116-839	44.40	115-046	120.70		
49/64	.7656	6	9-7/8	116-840	49.00	115-047	147.40		
25/32	.7812	6	9-7/8	116-841	49.00	115-048	142.10		
51/64	.7969	6-1/8	10	116-842	52.70	115-049	161.30		
13/16	.8125	6-1/8	10	116-843	51.80	115-050	152.70		
53/64	.8281	6-1/8	10	116-844	54.60	115-051	164.00		
27/32	.8438	6-1/8	10	116-845	54.60	115-052	158.10		
55/64	.8594	6-1/8	10	116-846	57.30	115-053	172.20		
7/8	.8750	6-1/8	10	116-847	56.70	115-054	166.20		
57/64	.8906	6-1/8	10	116-848	59.70	115-055	182.70		
29/32	.9062	6-1/8	10	116-849	59.70	115-056	173.10		
59/64	.9219	6-1/8	10-3/4	116-850	65.50	115-057	198.80		
15/16	.9375	6-1/8	10-3/4	116-851	65.00	115-058	188.30		
61/64	.9531	6-3/8	11	116-852	71.70	115-059	219.50		
31/32	.9688	6-3/8	11	116-853	71.70	115-060	207.80		
63/64	.9844	6-3/8	11	116-854	75.40	115-061	224.60		
1	1.0000	6-3/8	11	116-855	74.70	115-062	216.60		



- High speed steel
- General purpose
- 118° point



TAPER LENGTH DRILLS							cobalt	
Size	Dec. Equiv.	Flute Length	Overall Length	HSS Code No.	Price \$	Cobalt Code No.	Price \$	
WIRE GAUGE SIZES								
1	.2280	3-3/4	6-1/8	115-065	11.80	115-145	23.60	
2	.2210	3-3/4	6-1/8	115-066	11.80	115-146	23.60	
3	.2130	3-5/8	6	115-067	11.50	115-147	23.60	
4	.2090	3-5/8	6	115-068	11.50	115-148	23.60	
5	.2055	3-5/8	6	115-069	11.50	115-149	23.60	
6	.2040	3-5/8	6	115-070	11.50	115-150	23.60	
7	.2010	3-5/8	6	115-071	11.50	115-151	23.60	
8	.1990	3-5/8	6	115-072	11.50	115-152	23.60	
9	.1960	3-5/8	6	115-073	11.50	115-153	23.60	
10	.1935	3-5/8	6	115-074	11.50	115-154	23.60	
11	.1910	3-5/8	6	115-075	11.50	115-155	23.60	
12	.1890	3-5/8	6	115-076	11.50	115-156	23.60	
13	.1850	3-3/8	5-3/4	115-077	10.40	115-157	21.50	
14	.1820	3-3/8	5-3/4	115-078	10.40	115-158	20.40	
15	.1800	3-3/8	5-3/4	115-079	10.40	115-159	21.50	
16	.1770	3-3/8	5-3/4	115-080	10.40	115-160	21.50	
17	.1730	3-3/8	5-3/4	115-081	10.40	115-161	21.50	
18	.1695	3-3/8	5-3/4	115-082	10.40	115-162	21.50	
19	.1660	3-3/8	5-3/4	115-083	10.40	115-163	21.50	
20	.1610	3-3/8	5-3/4	115-084	10.40	115-164	21.50	
21	.1590	3-3/8	5-3/4	115-085	10.40	115-165	21.50	
22	.1570	3-3/8	5-3/4	115-086	10.40	115-166	21.50	
23	.1540	3	5-3/8	115-087	10.40	115-167	21.50	
24	.1520	3	5-3/8	115-088	10.40	115-168	21.50	
25	.1495	3	5-3/8	115-089	10.40	115-169	21.50	
26	.1470	3	5-3/8	115-090	10.40	115-170	21.50	
27	.1440	3	5-3/8	115-091	10.40	115-171	21.50	
28	.1405	3	5-3/8	115-092	10.40	115-172	19.10	
29	.1360	3	5-3/8	115-093	10.40	115-173	19.10	
30	.1285	3	5-3/8	115-094	10.40	115-174	19.10	
31	.1200	2-3/4	5-1/8	115-095	10.20	115-175	18.10	
32	.1160	2-3/4	5-1/8	115-096	10.20	115-176	17.70	
33	.1130	2-3/4	5-1/8	115-097	10.20	115-177	17.70	
34	.1110	2-3/4	5-1/8	115-098	10.20	115-178	17.70	
35	.1100	2-3/4	5-1/8	115-099	10.20	115-179	17.70	
36	.1065	2-1/2	4-5/8	115-100	7.70	115-180	17.20	
37	.1040	2-1/2	4-5/8	115-101	7.70	115-181	17.20	
38	.1015	2-1/2	4-5/8	115-102	7.70	115-182	17.20	
39	.0995	2-1/2	4-5/8	115-103	6.70	115-183	17.20	
40	.0980	2-1/2	4-5/8	115-104	6.70	115-184	17.20	
41	.0960	2-1/2	4-5/8	115-105	6.70			
42	.0935	2-1/4	4-1/4	115-106	5.70			
43	.0890	2-1/4	4-1/4	115-107	5.70			
44	.0860	2-1/4	4-1/4	115-108	5.70			
45	.0820	2-1/4	4-1/4	115-109	5.70			
46	.0810	2-1/4	4-1/4	115-110	5.70			
47	.0785	2-1/4	4-1/4	115-111	5.70			
48	.0760	2	3-3/4	115-112	4.80			
49	.0730	2	3-3/4	115-113	4.80			
50	.0700	2	3-3/4	115-114	4.80			
51	0.0670	2	3-3/4	115-115	4.80			
52	0.0635	2	3-3/4	115-116	4.80			
53	0.0595	1-3/4	3	115-117	4.80			
54	0.0550	1-3/4	3	115-118	4.80			
WIRE GAUGE SIZES								
55	0.0520	1-3/4	3	115-119	4.80			
56	0.0465	1-1/8	2-1/4	115-120	4.80			
57	0.0430	1-1/8	2-1/4	115-121	4.80			
58	0.0420	1-1/8	2-1/4	115-122	4.80			
59	0.0410	1-1/8	2-1/4	115-123	4.80			
60	0.0400	1-1/8	2-1/4	115-124	4.80			
61	0.0390	1-1/8	2-1/4	115-125	4.60			
62	0.0380	3/4	2	115-126	5.70			
63	0.0370	3/4	2	115-127	5.70			
64	0.0360	3/4	2	115-128	5.70			
65	0.0350	3/4	2	115-129	5.70			
66	0.0330	3/4	2	115-130	5.70			
67	0.0320	3/4	2	115-131	5.70			
68	0.0310	3/4	2	115-132	5.70			
69	0.0292	3/4	2	115-133	5.70			
70	0.0280	3/4	2	115-134	6.00			
71	0.0260	3/4	2	115-135	6.00			
72	0.0250	5/16	1-1/2	115-136	6.00			
73	0.0240	5/16	1-1/2	115-137	6.00			
74	0.0225	5/16	1-1/2	115-138	6.00			
75	0.0210	5/16	1-1/2	115-139	6.00			
76	0.0200	5/16	1-1/2	115-140	7.30			
77	0.0180	5/16	1-1/2	115-141	7.30			
78	0.0160	5/16	1-1/2	115-142	7.30			
79	0.0145	5/16	1-1/2	115-143	7.30			
80	0.0135	5/16	1-1/2	115-144	7.30			
LETTER SIZES								
A	0.2340	3-3/4	6-1/8	115-185	13.30	117-842	26.70	
B	0.2380	3-3/4	6-1/8	115-186	13.30	117-843	26.70	
C	0.2420	3-3/4	6-1/8	115-187	13.30	117-844	26.70	
D	0.2460	3-3/4	6-1/8	115-188	13.40	117-845	26.70	
E	0.2500	3-3/4	6-1/8	115-189	8.80	117-846	20.50	
F	0.2570	3-7/8	6-1/4	115-190	14.00	117-847	31.90	
G	0.2610	3-7/8	6-1/4	115-191	14.50	117-848	23.60	
H	0.2660	3-7/8	6-1/4	115-192	15.20	117-849	31.90	
I	0.2720	3-7/8	6-1/4	115-193	15.20	117-850	31.90	
J	0.2770	3-7/8	6-1/4	115-194	15.20	117-851	31.90	
K	0.2810	3-7/8	6-1/4	115-195	15.20	117-852	31.90	
L	0.2900	4	6-3/8	115-196	16.20	117-853	31.90	
M	0.2950	4	6-3/8	115-197	16.20	117-854	31.90	
N	0.3020	4	6-3/8	115-198	16.50	117-855	31.90	
O	0.3160	4-1/8	6-1/2	115-199	16.50	117-856	34.90	
P	0.3230	4-1/8	6-1/2	115-200	16.50	117-857	34.90	
Q	0.3320	4-1/8	6-1/2	115-201	16.50	117-858	34.90	
R	0.3390	4-1/8	6-1/2	115-202	17.40	117-859	34.90	
S	0.3480	4-1/4	6-3/4	115-203	17.40	117-860	43.10	
T	0.3580	4-1/4	6-3/4	115-204	17.40	117-861	43.10	
U	0.3680	4-1/4	6-3/4	115-205	18.20	117-862	43.10	
V	0.3770	4-3/8	7	115-206	18.20	117-863	44.60	
W	0.3860	4-3/8	7	115-207	18.20	117-864	44.60	
X	0.3970	4-3/8	7	115-208	18.80	117-865	44.60	
Y	0.4040	4-3/8	7	115-209	18.80	117-866	44.60	
Z	0.4130	4-5/8	7-1/4	115-210	19.50	117-867	47.80	

METRIC TAPER LENGTH DRILLS



- High speed steel
- General purpose
- 118° point



TAPER LENGTH DRILLS						TAPER LENGTH DRILLS						TAPER LENGTH DRILLS					
Size (mm)	Dec. Equiv. (in.)	Flute Length	Overall Length	Code No.	Price \$	Size (mm)	Dec. Equiv. (in.)	Flute Length	Overall Length	Code No.	Price \$	Size (mm)	Dec. Equiv. (in.)	Flute Length	Overall Length	Code No.	Price \$
1.00	0.0394	1-1/8	2-1/4	115-211	4.40	4.80	0.1890	3-5/8	6	115-264	11.00	15.50	0.6102	4-7/8	8-3/4	115-317	46.10
1.05	0.0413	1-1/8	2-1/4	115-212	4.40	4.90	0.1929	3-5/8	6	115-265	11.40	15.75	0.6201	4-7/8	8-3/4	115-318	47.00
1.10	0.0433	1-1/8	2-1/4	115-213	4.80	5.00	0.1968	3-5/8	6	115-266	10.20	16.00	0.6299	5-1/8	9	115-319	52.50
1.15	0.0453	1-1/8	2-1/4	115-214	4.40	5.10	0.2008	3-5/8	6	115-267	11.40	16.25	0.6938	5-1/8	9	115-320	53.50
1.20	0.0472	1-3/4	3	115-215	4.60	5.20	0.2047	3-5/8	6	115-268	11.40	16.50	0.6496	5-1/8	9	115-321	52.50
1.25	0.0492	1-3/4	3	115-216	4.50	5.30	0.2087	3-5/8	6	115-269	11.40	16.75	0.6594	5-3/8	9-1/4	115-322	62.80
1.30	0.0512	1-3/4	3	115-217	4.60	5.40	0.2126	3-5/8	6	115-270	11.40	17.00	0.6693	5-3/8	9-1/4	115-323	61.70
1.35	0.0531	1-3/4	3	115-218	4.70	5.50	0.2165	3-5/8	6	115-271	10.20	17.25	0.6791	5-3/8	9-1/4	115-324	63.70
1.40	0.0551	1-3/4	3	115-219	4.60	5.60	0.2205	3-3/4	6-1/8	115-272	11.40	17.50	0.6890	5-5/8	9-1/2	115-325	65.90
1.45	0.0571	1-3/4	3	115-220	4.70	5.70	0.2244	3-3/4	6-1/8	115-273	11.40	17.75	0.6988	5-5/8	9-1/2	115-326	65.90
1.50	0.0591	1-3/4	3	115-221	4.10	5.80	0.2283	3-3/4	6-1/8	115-274	11.40	18.00	0.7087	5-5/8	9-1/2	115-327	65.90
1.55	0.0610	1-3/4	3	115-222	4.80	5.90	0.2323	3-3/4	6-1/8	115-275	13.40	18.50	0.7283	5-7/8	9-3/4	115-328	75.30
1.60	0.0630	2	3-3/4	115-223	5.20	6.00	0.2362	3-3/4	6-1/8	115-276	11.00	19.00	0.7480	5-7/8	9-3/4	115-329	72.20
1.65	0.0650	2	3-3/4	115-224	5.40	6.10	0.2402	3-3/4	6-1/8	115-277	13.10	19.20	0.7559	6	9-7/8	115-330	74.00
1.70	0.0669	2	3-3/4	115-225	5.20	6.20	0.2441	3-3/4	6-1/8	115-278	10.40	19.50	0.7677	6	9-7/8	115-331	76.60
1.75	0.0689	2	3-3/4	115-226	5.40	6.30	0.2480	3-3/4	6-1/8	115-279	11.10	20.00	0.7874	6-1/8	10	115-332	82.20
1.80	0.0709	2	3-3/4	115-227	5.20	6.40	0.2520	3-7/8	6-1/4	115-280	12.80	20.50	0.8071	6-1/8	10	115-333	87.40
1.85	0.0728	2	3-3/4	115-228	5.40	6.50	0.2559	3-7/8	6-1/4	115-281	12.40	21.00	0.8268	6-1/8	10	115-334	88.90
1.90	0.0748	2	3-3/4	115-229	5.20	6.80	0.2677	3-7/8	6-1/4	115-282	12.80	21.50	0.8465	6-1/8	10	115-335	95.00
1.95	0.0768	2	3-3/4	115-230	5.40	7.00	0.2756	3-7/8	6-1/4	115-283	12.40	22.00	0.8661	6-1/8	10	115-336	89.40
2.00	0.0787	2-1/4	4-1/4	115-231	5.60	7.20	0.2835	4	6-3/8	115-284	13.00	22.50	0.8858	6-1/8	10	115-337	97.20
2.05	0.0807	2-1/4	4-1/4	115-232	6.60	7.50	0.2953	4	6-3/8	115-285	13.00	23.00	0.9055	6-1/8	10	115-338	97.20
2.10	0.0827	2-1/4	4-1/4	115-233	6.20	7.80	0.3071	4	6-3/8	115-286	14.10	23.50	0.9252	6-1/8	10-3/4	115-339	107.80
2.15	0.0846	2-1/4	4-1/4	115-234	6.60	8.00	0.3150	4-1/8	6-1/2	115-287	14.40	24.00	0.9449	6-3/8	11	115-340	116.70
2.20	0.0866	2-1/4	4-1/4	115-235	6.20	8.20	0.3228	4-1/8	6-1/2	115-288	16.10	24.50	0.9646	6-3/8	11	115-341	118.90
2.25	0.0886	2-1/4	4-1/4	115-236	6.60	8.50	0.3346	4-1/8	6-1/2	115-289	14.40	25.00	0.9843	6-3/8	11	115-342	117.50
2.30	0.0906	2-1/4	4-1/4	115-237	6.20	8.80	0.3465	4-1/4	6-3/4	115-290	18.90	25.50	1.0039	6-1/2	11-1/8	115-343	148.30
2.35	0.0925	2-1/4	4-1/4	115-238	6.60	9.00	0.3543	4-1/4	6-3/4	115-291	17.10	26.00	1.0236	6-1/2	11-1/8	115-344	145.60
2.40	0.0945	2-1/2	4-5/8	115-239	7.80	9.20	0.3622	4-1/4	6-3/4	115-292	18.90	26.50	1.0433	6-5/8	11-1/4	115-345	153.30
2.45	0.0965	2-1/2	4-5/8	115-240	8.10	9.50	0.3740	4-1/4	6-3/4	115-293	17.40	27.00	1.0630	6-5/8	11-1/4	115-346	153.90
2.50	0.0984	2-1/2	4-5/8	115-241	7.00	9.80	0.3858	4-3/8	7	115-294	19.80	27.50	1.0827	6-7/8	11-1/2	115-347	164.50
2.60	0.1024	2-1/2	4-5/8	115-242	7.80	10.00	0.3937	4-3/8	7	115-295	17.80	28.00	1.1024	7-1/8	11-3/4	115-348	167.60
2.70	0.1063	2-1/2	4-5/8	115-243	7.80	10.20	0.4016	4-3/8	7	115-296	18.10	28.50	1.1220	7-1/8	11-3/4	115-349	170.80
2.80	0.1102	2-3/4	5-1/3	115-244	8.10	10.50	0.4134	4-5/8	7-1/4	115-297	19.20	29.00	1.1417	7-1/4	11-7/8	115-350	182.40
2.90	0.1142	2-3/4	5-1/8	115-245	8.10	10.80	0.4252	4-5/8	7-1/4	115-298	21.80	29.50	1.1614	7-3/8	12	115-351	200.10
3.00	0.1181	2-3/4	5-1/8	115-246	7.30	11.00	0.4331	4-5/8	7-1/4	115-299	19.50	30.00	1.1811	7-3/8	12	115-352	196.40
3.10	0.1220	2-3/4	5-1/8	115-247	8.10	11.20	0.4409	4-3/4	7-1/2	115-300	24.20	30.50	1.2008	7-1/2	12-1/8	115-353	208.20
3.20	0.1260	3	5-3/8	115-248	8.80	11.50	0.4528	4-3/4	7-1/2	115-301	21.70	31.00	1.2205	7-7/8	12-1/2	115-354	212.40
3.30	0.1299	3	5-3/8	115-249	8.80	11.80	0.4646	4-3/4	7-1/2	115-302	25.70	31.50	1.2402	7-7/8	12-1/2	115-355	216.20
3.40	0.1339	3	5-3/8	115-250	9.40	12.00	0.4724	4-3/4	7-3/4	115-303	24.00	32.00	1.2598	8-1/2	14-1/8	115-356	248.90
3.50	0.1378	3	5-3/8	115-251	8.80	12.20	0.4803	4-3/4	7-3/4	115-304	26.70	32.50	1.2795	8-1/2	14-1/8	115-357	248.90
3.60	0.1417	3	5-3/8	115-252	9.70	12.50	0.4921	4-3/4	7-3/4	115-305	24.00	33.00	1.2992	8-5/8	14-1/4	115-358	258.10
3.70	0.1457	3	5-3/8	115-253	9.70	12.80	0.5039	4-3/4	8	115-306	36.30	33.50	1.3189	8-3/4	14-3/8	115-359	265.40
3.80	0.1496	3	5-3/8	115-254	9.70	13.00	0.5118	4-3/4	8	115-307	34.00	34.00	1.3386	8-3/4	14-3/8	115-360	265.40
3.90	0.1535	3	5-3/8	115-255	9.70	13.20	0.5197	4-3/4	8	115-308	36.90	34.50	1.3583	8-7/8	14-1/2	115-361	276.50
4.00	0.1575	3-3/8	5-3/4	115-256	8.80	13.50	0.5315	4-3/4	8	115-309	38.20	35.00	1.3780	9	14-5/8	115-362	291.30
4.10	0.1614	3-3/8	5-3/4	115-257	9.70	13.80	0.5433	4-7/8	8-1/4	115-310	38.90	35.50	1.3976	9	14-5/8	115-363	291.30
4.20	0.1654	3-3/8	5-3/4	115-258	8.80	14.00	0.5512	4-7/8	8-1/4	115-311	35.60	36.00	1.4173	9-1/8	14-3/4	115-364	300.50
4.30	0.1693	3-3/8	5-3/4	115-259	9.80	14.25	0.5610	4-7/8	8-1/4	115-312	38.90	36.50	1.4370	9-1/8	14-3/4	115-365	300.50
4.40	0.1732	3-3/8	5-3/4	115-260	9.80	14.50	0.5709	4-7/8	8-3/4	115-313	44.60	37.00	1.4567	9-1/4	14-7/8	115-366	326.50
4.50	0.1772	3-3/8	5-3/4	115-261	8.80	14.75	0.5807	4-7/8	8-3/4	115-314	45.40	37.50	1.4764	9-3/8	15	115-367	334.10
4.60	0.1811	3-3/8	5-3/4	115-262	9.70	15.00	0.5906	4-7/8	8-3/4	115-315	44.60	38.00	1.4961	9-3/8	15	115-368	334.10
4.70	0.1850	3-3/8	5-3/4	115-263	9.70	15.25	0.6004	4-7/8	8-3/4	115-316	47.00						