


5 X D Premium Class Coolant-Fed Sub-Micrograin Carbide Drills



PC255

Cutting Dia. (mm)	Flute Length (mm)	Shank Dia. (mm)	Overall Length (mm)	Code No.	Price \$
3.0	28	6	66	138330	99.32
3.1	28	6	66	138331	99.32
3.2	28	6	66	138332	99.32
3.3	28	6	66	138333	99.32
3.4	28	6	66	138334	99.32
3.5	28	6	66	138335	99.32
3.6	28	6	66	138336	99.32
3.7	28	6	66	138337	99.32
3.8	36	6	74	138338	104.19
3.9	36	6	74	138339	104.19
4.0	36	6	74	138340	104.19
4.1	36	6	74	138341	104.19
4.2	36	6	74	138342	132.29
4.3	36	6	74	138343	104.19
4.4	36	6	74	138344	104.19
4.5	36	6	74	138345	104.19
4.6	36	6	74	138346	104.19
4.7	44	6	82	138347	104.19
4.8	44	6	82	138348	104.19
4.9	44	6	82	138349	104.19
5.0	44	6	82	138350	104.19
5.1	44	6	82	138351	104.19
5.2	44	6	82	138352	104.19
5.3	44	6	82	138353	104.19
5.4	44	6	82	138354	104.19
5.5	44	6	82	138355	104.19
5.6	44	6	82	138356	104.19
5.7	44	6	82	138357	104.19
5.8	44	6	82	138358	104.19
5.9	44	6	82	138359	104.19
6.0	44	6	82	138360	104.19
6.1	53	8	91	138361	119.68
6.2	53	8	91	138362	119.68
6.3	53	8	91	138363	119.68
6.4	53	8	91	138364	119.68
6.5	53	8	91	138365	119.68
6.6	53	8	91	138366	119.68
6.7	53	8	91	138367	119.68
6.8	53	8	91	138368	119.68
6.9	53	8	91	138369	119.68
7.0	53	8	91	138370	119.68
7.1	53	8	91	138371	119.68
7.2	53	8	91	138372	119.68
7.3	53	8	91	138373	119.68
7.4	53	8	91	138374	119.68
7.5	53	8	91	138375	119.68
7.6	53	8	91	138376	119.68
7.7	53	8	91	138377	119.68
7.8	53	8	91	138378	119.68
7.9	53	8	91	138379	119.68
8.0	53	8	91	138380	119.68
8.1	61	10	103	138381	192.34
8.2	61	10	103	138382	192.34
8.3	61	10	103	138383	192.34
8.4	61	10	103	138384	192.34
8.5	61	10	103	138385	197.87
8.6	61	10	103	138386	192.34
8.7	61	10	103	138387	192.34
8.8	61	10	103	138388	192.34
8.9	61	10	103	138389	192.34

PC255

Speeds & Feeds > P. B74

Cutting Dia. (mm)	Flute Length (mm)	Shank Dia. (mm)	Overall Length (mm)	Code No.	Price \$
9.0	61	10	103	138390	192.34
9.1	61	10	103	138391	192.34
9.2	61	10	103	138392	192.34
9.3	61	10	103	138393	192.34
9.4	61	10	103	138394	192.34
9.5	61	10	103	138395	192.34
9.6	61	10	103	138396	192.34
9.7	61	10	103	138397	192.34
9.8	61	10	103	138398	192.34
9.9	61	10	103	138399	192.34
10.0	61	10	103	138400	192.34
10.1	71	12	118	138401	269.10
10.2	71	12	118	138402	269.10
10.3	71	12	118	138403	269.10
10.4	71	12	118	138404	269.10
10.5	71	12	118	138405	269.10
10.6	71	12	118	138406	269.10
10.7	71	12	118	138407	269.10
10.8	71	12	118	138408	269.10
10.9	71	12	118	138409	269.10
11.0	71	12	118	138410	269.10
11.1	71	12	118	138411	269.10
11.2	71	12	118	138412	269.10
11.3	71	12	118	138413	269.10
11.4	71	12	118	138414	269.10
11.5	71	12	118	138415	269.10
11.6	71	12	118	138416	269.10
11.7	71	12	118	138417	269.10
11.8	71	12	118	138418	269.10
11.9	71	12	118	138419	269.10
12.0	71	12	118	138420	269.10
12.1	77	14	124	138421	358.25
12.2	77	14	124	138422	358.25
12.3	77	14	124	138423	358.25
12.4	77	14	124	138424	358.25
12.5	77	14	124	138425	337.89
12.6	77	14	124	138426	337.89
12.7	77	14	124	138427	337.89
12.8	77	14	124	138428	337.89
12.9	77	14	124	138429	337.89
13.0	77	14	124	138430	337.89
13.1	77	14	124	138431	337.89
13.2	77	14	124	138432	337.89
13.3	77	14	124	138433	337.89
13.4	77	14	124	138434	337.89
13.5	77	14	124	138435	337.89
14.0	77	14	124	138436	337.89
14.5	83	16	133	138437	531.13
15.0	83	16	133	138438	531.13
15.5	83	16	133	138439	531.13
16.0	83	16	133	138440	531.13
16.5	93	18	143	138441	744.15
17.0	93	18	143	138442	586.43
17.5	93	18	143	138443	586.43
18.0	93	18	143	138444	586.43
18.5	101	20	153	138445	913.48
19.0	101	20	153	138446	913.48
19.5	101	20	153	138447	913.48
20.0	101	20	153	138448	913.48