

Extra Length Taper Shank Drills HSS — 8"-12" Overall Length



• Taper shank



Size	Decimal Equiv.	Morse Taper No.	Flute Length	8" O.A.L. Code No.	Price \$	Flute Length	10" O.A.L. Code No.	Price \$	Flute Length	12" O.A.L. Code No.	Price \$
1/8	0.1250	1	5	114471	87.32	-	-	-	9	114512	124.73
9/64	0.1406	1	5	114472	91.57	-	-	-	-	-	-
5/32	0.1562	1	5	114473	91.57	7	114489	105.27	-	-	-
11/64	0.1719	1	5	114474	91.57	7	114490	107.43	9	114513	126.56
3/16	0.1875	1	5	114475	91.57	-	-	-	9	114514	126.56
13/64	0.2031	1	5	114476	91.57	7	114491	110.96	9	114515	129.43
7/32	0.2188	1	5	114477	91.57	7	114492	110.96	9	114516	129.43
15/64	0.2344	1	5	114478	91.57	7	114493	110.96	9	114517	129.43
1/4	0.2500	1	5	114479	91.57	7	114494	110.96	9	114518	129.43
17/64	0.2656	1	5	114480	99.20	-	-	-	9	114519	141.69
9/32	0.2812	1	5	114481	99.20	7	114495	121.08	9	114520	141.69
19/64	0.2969	1	5	114482	99.16	7	114496	120.87	9	114521	141.69
5/16	0.3125	1	5	114483	99.16	-	-	-	9	114522	141.69
21/64	0.3281	1	5	114484	111.49	7	114497	131.13	9	114523	154.32
11/32	0.3438	1	5	114485	111.49	-	-	-	9	114524	154.32
23/64	0.3594	1	5	114486	114.64	7	114498	134.82	9	114525	158.65
3/8	0.3750	1	5	114487	114.64	7	114499	134.82	9	114526	158.65
25/64	0.3906	1	-	-	-	-	-	-	9	114527	166.57
13/32	0.4062	1	-	-	-	-	-	-	9	114528	166.57
27/64	0.4219	1	-	-	-	-	-	-	9	114529	172.34
7/16	0.4375	1	-	-	-	7	114500	143.62	9	114530	172.34
29/64	0.4531	1	-	-	-	7	114501	157.70	9	114531	185.54
15/32	0.4688	1	5	114488	126.17	7	114502	152.01	9	114532	178.82
31/64	0.4844	2	-	-	-	6	114503	174.05	8	114533	204.77
1/2	0.5000	2	-	-	-	6	114504	167.94	8	114534	197.56
33/64	0.5156	2	-	-	-	6	114505	174.05	8	114535	204.77
17/32	0.5312	2	-	-	-	6	114506	167.94	8	114536	198.28
35/64	0.5469	2	-	-	-	6	114507	170.33	8	114537	207.65
9/16	0.5625	2	-	-	-	6	114508	170.33	8	114538	210.47
37/64	0.5781	2	-	-	-	6	114509	178.82	8	114539	210.47
19/32	0.5938	2	-	-	-	6	114510	172.53	8	114540	202.99
39/64	0.6094	2	-	-	-	6	114511	183.87	8	114541	224.45
5/8	0.6250	2	-	-	-	-	-	-	8	114542	216.30
41/64	0.6406	2	-	-	-	-	-	-	8	114543	231.48
21/32	0.6562	2	-	-	-	-	-	-	8	114544	231.48
43/64	0.6719	2	-	-	-	-	-	-	8	114545	252.38
11/16	0.6875	2	-	-	-	-	-	-	8	114546	252.38
45/64	0.7031	2	-	-	-	-	-	-	8	114547	268.96
23/32	0.7188	2	-	-	-	-	-	-	8	114548	268.96
47/64	0.7344	2	-	-	-	-	-	-	8	114549	279.69
3/4	0.7500	2	-	-	-	-	-	-	8	114550	279.69
49/64	0.7656	2	-	-	-	-	-	-	8	114551	295.36
25/32	0.7812	2	-	-	-	-	-	-	8	114552	295.36
51/64	0.7969	3	-	-	-	-	-	-	7	114553	311.70
13/16	0.8125	3	-	-	-	-	-	-	7	114554	311.70
53/64	0.8281	3	-	-	-	-	-	-	7	114555	311.70
27/32	0.8438	3	-	-	-	-	-	-	7	114556	311.70
55/64	0.8594	3	-	-	-	-	-	-	7	114557	311.70
7/8	0.8750	3	-	-	-	-	-	-	7	114558	311.70
57/64	0.8906	3	-	-	-	-	-	-	7	114559	342.66
29/32	0.9062	3	-	-	-	-	-	-	7	114560	342.66
59/64	0.9219	3	-	-	-	-	-	-	7	114561	353.90
15/16	0.9375	3	-	-	-	-	-	-	7	114562	353.90
31/32	0.9688	3	-	-	-	-	-	-	7	114563	370.78
1	1.0000	3	-	-	-	-	-	-	7	114564	373.51

Drilling & Holemaking