

ABS Heavy Duty Digital Calipers

ASIMETO

- Resolution: 0.0005" / 0.01mm
- Designed with fine adjustment to allow precise movement of the slider
- Internal measurement jaws are rounded to provide accurate measurement of internal diameters
- Minimum internal diameter measurement capability of 20mm
- Inch/Metric conversion
- Zero setting at any position
- Without upper jaws




Range	Jaw Length	Accuracy	Code No.	Price \$
0-12"/0-300mm	90mm	±0.04mm	7315126	292.42
0-24"/0-600mm	100mm	±0.05mm	7315246	461.70
0-40"/0-1000mm	150mm	±0.10mm	7315406	1,499.10

Heavy Duty Vernier Calipers

ASIMETO

- Graduation:
Lower Scale: 0.001"
Upper Scale: 0.02mm
- Nib style jaws and fine adjustment



Range		Graduation		Accuracy	Jaw Depth	Code No.	Price \$
Lower	Upper	Lower	Upper				
0-12"	0-300mm	0.001"	0.02mm	±0.0015"	75mm	7311121	221.37
0-18"	0-450mm	0.001"	0.02mm	±0.002"	100mm	7311181	381.74
0-24"	0-600mm	0.001"	0.02mm	±0.002"	100mm	7311241	435.92
0-40"	0-1000mm	0.001"	0.02mm	±0.003"	150mm	7311401	954.06
0-60"	0-1500mm	0.001"	0.02mm	±0.004"	200mm	7311601	2,629.99
0-80"	0-2000mm	0.001"	0.02mm	±0.005"	200mm	7311801	3,680.56

Digital Caliper With Adjustable Measuring Jaw

ASIMETO

- Resolution: 0.0005"/0.01mm
- Stationary jaw on the beam is designed with vertical movement for the purpose of measuring various steps of different heights
- Inch/Metric conversion
- Zero setting at any position



Range	Adjustable Jaw Length	Accuracy	Code No.	Price \$
0-6"/150mm	110mm	±0.0015"/0.04mm	7317060	288.09
0-12"/300mm	130mm	±0.0020"/0.05mm	7317120	509.96

Digital Indicators

ASIMETO

- Tolerance measurement feature
- Inch/Metric conversion
- The maximum, minimum, or runout value can be displayed during measurement
- Absolute and incremental measuring modes
- SR44 battery
- Flat Back (attached) and Lug Back supplied
- 3/8" stem diameter for inch models and 8mm stem diameter for metric models



Range	Resolution	Accuracy	Code No.	Price \$
0-0.5"/0-12.5mm	0.00005"/0.001mm	±0.0003"/±0.007mm	7405955	113.05
0-0.5"/0-12.5mm	0.0005"/0.01mm	±0.0008"/±0.02mm	7405951	144.40
0-1"/0-25mm	0.0005"/0.01mm	±0.0012"/±0.03mm	7405011	157.70
0-2"/0-50mm	0.0005"/0.01mm	±0.0012"/±0.02mm	7405021	390.45

IP65 Absolute Digital Indicators

ASIMETO

- Absolute or incremental measuring modes
- Tolerance measurement feature allows for the upper and lower tolerance for maximum and minimum
- Inch/Metric conversion
- Flat back (attached) and lug back supplied
- 3/8" stem diameter
- 360 deg. screen rotation
- Cable data output: 7900070
- Wireless data transfer: 7901002



7407013

7407023

Range	Resolution	Accuracy	Code No.	Price \$
0-0.5"/0-12.5mm	0.0005"/0.01mm	±0.0008"/±0.02mm	7407013	179.55
0-1"/0-25mm	0.0005"/0.01mm	±0.0012"/±0.02mm	7407023	167.47
0-2"/0-50mm	0.0005"/0.01mm	±0.0012"/±0.02mm	7407033	516.80

Prices in this catalogue are subject to change without notice. If there is a discrepancy between a product price listed in this catalogue and that listed on www.sowatool.com, the price on our website will take precedence.

Images are representational only and may not reflect actual product.