


ASIMETO®



MEASURE TWICE. SPEND ONCE.



- ✓ More Accurate
- ✓ Longer Life
- ✓ Better Price

SAVE 25%
WHEN YOU CHOOSE ASIMETO

SAVE 25% WHEN YOU CHOOSE ASIMETO

ASIMETO[®]

For all specs click on the Code Number or visit www.SowaTool.com

Pricing valid **Feb 4 - Mar 31, 2026**, while quantities last.

Outside Micrometers & Sets



Ratchet Thimble



Range	Graduation	Accuracy	Thimble Type	Code No.	List Price	SALE \$
0-1"	0.0001"	±0.0001"	Ratchet	7101013	64.71	38.83
1-2"	0.0001"	±0.0002"	Ratchet	7101023	72.34	43.40
4-5"	0.0001"	±0.00015"	Ratchet	7101053	114.34	68.60
6-7"	0.0001"	±0.0002"	Ratchet	7101073	127.22	76.33

Range	Grad.	Notes	Code No.	List Price	SALE \$
0-3" (3pc)	0.0001"	0-1"+1-2" Friction 2-3" Ratchet	7101637	194.56	116.74

Micrometer Stand

Notes	Code No.	List Price	SALE \$
Painted Cast Iron Base	7109021	62.53	37.52



Micrometer Standards

Size	Accuracy	Diameter	Code No.	List Price	SALE \$
1"	±0.00005"	0.276"	7110011	8.57	5.14
2"	±0.0001"	0.276"	7110021	9.84	5.90
3"	±0.0001"	0.276"	7110031	11.90	7.14
9"	±0.00020"	0.315"	7110091	31.81	19.09
10"	±0.00020"	0.315"	7110101	36.30	21.78
21"	±0.00030"	0.630"	7110211	108.78	65.27



Anvils



T.P.I.	Pitch (in./mm)	Code No.	List Price	SALE \$
64-48 (M1)	0.016-0.019"/0.4-0.5mm	7130610	34.78	20.87
13-9 (M4)	0.079-0.118"/2.0-3.0mm	7130640	34.78	20.87
8-5 (M5)	0.138-0.196"/3.5-5.0mm	7130650	34.78	20.87

Inside Micrometers



Mechanical

1" and over

Range	Grad	Accuracy	Code No.	List Price	SALE \$
0.2-1.18"	0.001	±0.0001"	7203011	148.43	89.06
3-4"	0.001	±0.0002"	7203041	204.97	122.98

Interchangeable Anvil Micrometers

Range	Grad.	Accuracy	Code No.	List Price	SALE \$
16-20"	0.001"	± 0.0005"	7111201	919.66	551.80
20-24"	0.001"	± 0.0006"	7111241	1,088.57	653.14
28-32"	0.001"	± 0.0007"	7111321	1,524.55	914.73



Digital Outside Micrometers with SPC Output & Set



Range	Inch Resolution	Accuracy	Range	Metric Resolution	Accuracy	Code No.	List Price	SALE \$
0-1	0.00005"	0.0001"	0-25	0.001mm	0.002mm	7105015	325.67	195.40
1-2	0.00005"	0.0002"	25-50	0.001mm	0.002mm	7105025	329.78	197.87
2-3	0.00005"	0.0002"	50-75	0.001mm	0.003mm	7105035	437.05	262.23
3-4	0.00005"	0.0002"	75-100	0.001mm	0.003mm	7105045	396.99	238.19

Sets

0-3	0.00005"		0-75	0.001mm		7105639	854.05	512.43
-----	----------	--	------	---------	--	---------	--------	--------

Economic Digital Outside Micrometers



Range	Resolution	Accuracy	Code No.	List Price	SALE \$
1-2"/25-50mm	0.00005" / 0.001mm	±0.00016" / 0.004mm	7116021	181.41	108.85

Digital Blade Micrometers



Range	Resolution	Accuracy	Blade Dimensions Depth x Length	Code No.	List Price	SALE \$
1-2" / 25-50mm	0.00005" / 0.001mm	±0.0002"	0.030" x 0.250"	7117021	729.18	437.51
2-3" / 50-75mm	0.00005" / 0.001mm	±0.0002"	0.030" x 0.250"	7117031	744.91	446.95

Digital Screw Thread Micrometers



Range (in.)	Inch Res	Accuracy	Range (mm)	Metric Res	Accuracy	Code No.	List Price	SALE \$
0-1"	0.00005"	±0.0001"	0-25	0.001mm	±0.004mm	7136011	478.27	286.96

Digital

IP65 Coolant Proof and ABS Absolute Function



Range ("/mm)	Res ("/mm)	Accuracy	Code No.	List Price	SALE \$
0.2-1.2 / 5-30	0.00005 / 0.001	±0.0001"	7207011	581.93	349.16


Digital Disc Micrometers — Non-Rotating Spindle



Range	Accuracy	Code No.	List Price	SALE \$
0-1" / 0-25mm	±0.0001"	7145011	622.67	373.60
1-2" / 25-50mm	±0.0002"	7145021	681.64	408.98
2-3" / 50-75mm	±0.0002"	7145031	758.23	454.94

Pricing valid **Feb 4 - Mar 31, 2026**, while quantities last.


Depth Micrometers



Range	Res/Grad	Accuracy	Thimble Grad.	Base Length	No. of Rods	Digital, IP65 & ABS	Code No.	List Price	SALE \$
0-6"	0.00005"	±0.0002"	0.0001"	4.0"	6	✓	7205063	731.51	438.91

Depth Micrometers

Range	Grad.	Accuracy	Base Length	Code No.	List Price	SALE \$
0-4"	0.001"	+0.0002"	2.5"	7201041	263.83	158.30
0-4"	0.001"	+0.0002"	4.0"	7201043	235.60	141.36
0-6"	0.001"	+0.0002"	4.0"	7201063	342.60	205.56



Inside Micrometer — Interchangeable Rod Type



Range	Head Travel	Grad	Spacing Collar	Rod Dia.	Code No.	List Price	SALE \$
1-2"	0.25"	0.001"	0.250"	0.248"	7242021	341.40	204.84

Two & Three Point Internal Micrometers

Mechanical



Range	Grad ("/mm)	Accuracy	Code No.	List Price	SALE \$
0.5 - 0.65"	0.0002"	±0.00016"	7209241	501.83	301.10
0.8 - 1.0"	0.0002"	±0.00016"	7209261	705.62	423.37
1.2 - 1.6"	0.0002"	±0.00016"	7209281	759.81	455.89
2.5 - 3.0"	0.0002"	±0.0002"	7209311	995.41	597.25
3.0 - 3.5"	0.0002"	±0.0002"	7209321	1,040.17	624.10
3.5 - 4.0"	0.0002"	±0.0002"	7209331	1,082.58	649.55

Digital

IP65 Coolant Proof and ABS Absolute Function



Range	Res ("/mm)	Accuracy	Code No.	List Price	SALE \$
1.2 - 1.6"	0.00005 / 0.001	±0.00016"	7208281	1,259.28	755.57
2.5 - 3.0"	0.00005 / 0.001	±0.0002"	7208311	1,438.34	863.00

Digital Depth Calipers – ABS



Range	Resolution	Accuracy	Code No.	List Price	SALE \$
0-6" / 0-150mm	0.0005" / 0.01mm	±0.001"	7327067	127.22	76.33
0-12" / 0-300mm	0.0005" / 0.01mm	±0.0015"	7327127	369.89	221.93

Digital Tire Depth Gauge




Range	Resolution	Accuracy	Base Length	Code No.	List Price	SALE \$
0-1.2" / 0-30mm	0.0005" / 0.01mm	±0.0015" / 0.03mm	60mm	7321010	135.47	81.28

Statistical Process Control Equipment

Used For	Code No.	List Price	SALE \$
ABS Digital Calipers, Digital Micrometers, Heavy Duty Digital Calipers	7901001	165.91	99.55


Used For	Code No.	List Price	SALE \$
IP65 Digital Indicators	7901002	165.91	99.55

Diecast Aluminum



Range	Graduation	Range per Rev	Accuracy	Code No.	List Price	SALE \$
0-6"	0.001"	0.100"	±0.001"	7304065	147.72	88.63
0-12"	0.001"	0.100"	±0.0015"	7304125	335.82	201.49

IP67 Coolant Proof




Range ("/mm)	Res ("/mm)	Accuracy	IP67 Coolant Proof	Code No.	List Price	SALE \$
0-8 / 0-200	0.0005 / 0.01	±0.0015"	✓	7305082	349.14	209.48



ABS & IP67 Coolant Proof



Range ("/mm)	Res ("/mm)	Accuracy	IP67	Lg Display	ABS	Code No.	List Price	SALE \$
0-6 / 0-150	0.0005 / 0.01	±0.001"	✓	✓		7307065	98.27	58.96
0-8 / 0-200	0.0005 / 0.01	±0.0015"	✓	✓	✓	7305085	405.88	243.53


Pricing valid **Feb 4 - Mar 31, 2026**, while quantities last.

Heavy Duty Vernier Calipers	Range ("/mm)	Graduation ("/mm)	Accuracy	Jaw Depth	Code No.	List Price	SALE \$
	0-12 / 0-300	0.001 / 0.02	±0.0015"	75mm	7311121	285.80	171.48
	0-40 / 0-1000	0.001 / 0.02	±0.003"	150mm	7311401	1,291.37	774.82

Adj. Jaw & Extended Range	Range ("/mm)	Res ("/mm)	Accuracy	IP67	ABS	Adj Jaw	Code No.	List Price	SALE \$
	0-6 / 0-150	0.0005 / 0.01	±0.0015"			✓ Jaw Length 110mm	7317060	357.23	214.34
	0-12 / 0-300	0.0005 / 0.01	±0.0020"			✓ Jaw Length 130mm	7317120	632.35	379.41
	0-40 / 0-1000	0.0005 / 0.01	±0.10mm	✓	✓	✓ Jaw Length 150mm	7315406	1,858.88	1,115.33


Bore Gauges

Range	Resolution/Graduation	No. Anvils	No. Spacers	No. Sub-Anvils	Probe Depth	Digital/Dial	Code No.	List Price	SALE \$
1.4"-2.4"	0.0001" / 0.01mm	6 pcs	4	-	6"	Dial	7483221	296.79	178.07




Indicators

Range	Grad	Dial Reading	Range per Rev	Stem Dia.	Type	Code No.	List Price	SALE \$
0-0.05"	0.0001"	0-50-0	0.01"	3/8	Lug Back	7402013	143.89	86.33
0-0.05"	0.0001"	10-0	0.01"	3/8	Lug Back	7402011	186.17	111.70
0-0.05"	0.0001"	0-5-0	0.01"	3/8	Lug Back	7402015	200.11	120.07
0-0.25"	0.001"	0-100	0.1"	3/8	Lug Back	7402061	51.49	30.89
0-0.5"	0.001"	0-50-0	0.1"	3/8	Lug Back	7402123	69.21	41.53




Range ("/mm)	Res ("/mm)	Accuracy ("/mm)	Type	IP65	ABS	Code No.	List Price	SALE \$
0-0.5 / 0-12.5	0.0005 / 0.01	±0.0008 / ±0.02	Flat Back attached, Lug Back supplied		✓	7405951	179.06	107.44
0-1 / 0-25	0.0005 / 0.01	±0.0012 / ±0.03	Flat Back attached, Lug Back supplied		✓	7405011	195.55	117.33
0-1 / 0-25	0.0005 / 0.01	±0.0012 / ±0.02	Flat Back attached, Lug Back supplied	✓	✓	7407023	207.67	124.60
0-2 / 0-50	0.0005 / 0.01	±0.0012 / ±0.02	Flat Back attached, Lug Back supplied	✓	✓	7407033	640.83	384.50




Extended Range/Pocket Dial Test Indicator Sets

Range	Grad	Accuracy	Code No.	List Price	SALE \$
0.060"	0.0005"	±0.0012"	7504811	300.72	180.43
0.060"	0.0005"	±0.0012"	7504813	292.55	175.53
0.060"	0.001"	±0.0012"	7504815	280.46	168.28
0.060"	0.0005"	±0.0012"	7504821	294.75	176.85



Extended Range/Pocket Dial Test Indicators

Range	Grad	Dial Reading	Accuracy	Code No.	List Price	SALE \$
0.060"	0.001"	0-15-0	±0.0012"	7503061	252.00	151.20
0.060"	0.0005"	0-15-0	±0.0012"	7504563	225.74	135.44



Pricing valid **Feb 4 - Mar 31, 2026**, while quantities last.

Dial Test Indicator Sets



Basic Accessories Included:

- Stem Diameter – Metric Ø8mm
- Stem Diameter – Inch Ø3/8"
- Ruby Contact Point Diameter – Ø2mm
- Wrench

Full Set Accessories Included:

- Asimeto Basic Accessories plus, Stem Diameter Metric Ø4mm, Stem Diameter Inch Ø0.157", Carbide Tipped Point Diameter Ø2mm, Steel Point Diameter Ø1mm
- Swivel Clamp – Metric for Ø4mm & Ø8mm Diameters
- Swivel Clamp – Inch for Ø3/8" & Ø 0.157" Diameters
- Holding Bar – Metric 9 x 9 x 100mm
- Holding Bar – Inch 0.25" x 0.5" x 4"

Range	Grad	Dial Reading	Accuracy	Type	Code No.	List Price	SALE \$
0.008"	0.0001"	0-4-0	±0.0001"	Vertical	7501785	161.39	96.83
0.03"	0.0005"	0-15-0	±0.0005"	Vertical	7501735	131.58	78.95
0.008"	0.0001"	0-4-0	±0.0001"	Horizontal	7501787	204.43	122.66
0.03"	0.0005"	0-15-0	±0.0005"	Horizontal	7501738	249.89	149.93

Test Indicator Points



Ball Dia.	Tip Length	Ind. Range/Resolution	Code No.	List Price	SALE \$
Carbide Ball					
2mm	16.2mm	0.03"/0.0005"	7500622	20.12	12.07
3mm	16.7mm	0.03"/0.0005"	7500632	15.55	9.33
3mm	16.7mm	0.008"/0.0001"	7500732	25.65	15.39

Ball Dia.	Tip Length	Ind. Range/Resolution	Code No.	List Price	SALE \$
Steel Ball					
1mm	15.9mm	0.03"/0.0005"	7500611	19.61	11.77
2mm	16.2mm	0.03"/0.0005"	7500621	9.94	5.96
3mm	16.7mm	0.03"/0.0005"	7500631	9.94	5.96
3mm	16.7mm	0.008"/0.0001"	7500731	6.01	3.61
1mm	21.3mm	0.06"/0.0005"	7500811	9.36	5.62
3mm	22.3mm	0.06"/0.0005"	7500831	9.94	5.96

Indicator Holders & Bases



Magnetic Power	Magnetic Base (L x W x H)	Female Thread	Code No.	List Price	SALE \$
60 kg	60 x 50 x 55mm	M8	7600011	90.66	54.40



Pull Action	Main Body	Main Stem Length	Code No.	List Price	SALE \$
17 kg	Ø30 x 25mm	85mm	7601120	119.33	71.60



Pull Action	Base (L x W x H)	Post/Arm Dimensions	On/Off Switch	Fine Adj	Code No.	List Price	SALE \$
80 kg	60 x 50 x 55mm	Total Height: 310mm Post: 124mm Arm: 101mm Top: 85mm	✓	✓	7602021	219.85	131.91



Pull Action	On/Off Switch	Code No.	List Price	SALE \$
132 lbf	✓	7601011	43.96	26.38

Height Gauges – Single & Double Beams

Range	Res/Grad	Accuracy	No of Beams	Digital/Dial	Code No.	List Price	SALE \$
0-12" / 0-300mm	0.0005" / 0.01mm	±0.0015" / 0.04mm	Single	Digital	7626120	823.42	494.05
0-24" / 0-600mm	0.0005" / 0.01mm	±0.0020" / 0.05mm	Single	Digital	7626240	1,221.59	732.95
0-12" / 0-300mm	0.0005" / 0.01mm	±0.0015"	Single	Digital	7625120	666.75	400.05
0-24" / 0-600mm	0.0005" / 0.01mm	±0.0020"	Single	Digital	7625240	1,213.34	728.00

Range	Res/Grad	Accuracy	No of Beams	Digital/Dial	Code No.	List Price	SALE \$
0-18" / 0-450mm	0.001" / 0.01mm	±0.0015" / 0.04mm	Double	Digital	7627180	1,556.98	934.19



Pricing valid **Feb 4 - Mar 31, 2026**, while quantities last.

Radius Gauges



Range	No. of Leaves	Code No.	List Price	SALE \$
1/32-17/64 x 64ths, 90° arc	16	7605401	42.75	25.65

Pocket Rules



Size	Clip	Code No.	List Price	SALE \$
6"	✓	7606009	4.46	2.68

Screw Pitch Gauges

Range	No. of Leaves	Composition of Leaves	Code No.	List Price	SALE \$
Metric & TPI 60° 0.4-7mm 4-42 TPI	51	Composition of Leaves 7605520 and 7605502	7605508	36.75	22.05



Squares & Square Sets

Blade Length (in.)	Code No.	List Price	SALE \$
Set of 3 squares with 1-1/2" triangular straight edge with handle and case. 2-15/16", 1-9/16", 1"	7606670	265.92	159.55
6" x 4" 150 x 100mm	7639240	148.58	89.15
8" x 5" 200 x 130mm	7639250	190.48	114.29

Matched Pair Steel Parallel Sets

Pairs	Width	Range	Code No.	List Price	SALE \$
8	1/2"	7/8" to 1-3/4"	7607080	292.67	175.60
9	1/4"	3/4" to 1-3/4"	7607090	274.35	164.61
10	1/8"	1/2" to 1-5/8"	7607100	174.00	104.40
10	1/32"	1/2" to 1-5/8"	7607101	130.17	78.10



Digital Protractors — Level Type

Range	Res	Accuracy	Code No.	List Price	SALE \$
360°	0.1°	±0.1°	7490160	262.11	157.27




Telescoping Gauges & Set

Range	Depth	Model	Code No.	List Price	SALE \$
Set of 6 - 0.315"-5.90"		A, B, C, D, E, F	7487869	75.56	45.34
1.26"-2.126"	5.85"	D	7487041	20.63	12.38
0.315"-0.500"	12"		7487013	17.79	10.67
0.500"-0.748"	12"		7487023	17.79	10.67
0.748"-1.26"	12"		7487033	17.79	10.67
1.26"-2.126"	12"		7487043	20.49	12.29
3.54"-5.90"	12"		7487063	20.49	12.29



Thread Measuring Wire Set



Description	Code No.	List Price	SALE \$
<ul style="list-style-type: none"> 48 wires - 16 different sizes which measure all threads from 3 - 48 threads per inch and all metric threads from 0.5mm to 6mm Also measures ACME threads Laminated chart included 	7697300	36.58	21.95

Rectangular Gauge Block Sets

Blocks per Set	Code No.	List Price	SALE \$
81	7650010	1,243.97	746.38
	7650011	885.86	531.52



Hardness Tester Penetrators



Description	Specifications	Code No.	List Price	SALE \$
For Brinell Hardness Tester	Ø2.5, 5, 10mm tungsten carbide ball penetrators	7640840	559.26	335.56

Ergonomic Pin Gauge Handles



Range	Code No.	List Price	SALE \$
0.011" - 0.060"	7697410	40.16	24.10
0.251" - 0.500"	7697412	60.17	36.10

Precision Steel Pin Gauge Sets



Plus Tolerance +0.0002"/-0	Code No.	List Price	SALE \$
190 0.061"-0.250" x 0.001" step	7697020	272.49	163.49
250 0.251"-0.500" x 0.001" step	7697030	488.34	293.00